



HIRE CATALOGUE



COUNT ON US

1800 440 550 | prestonhire.com.au

Notes



COUNT ON US

Contents

01

SUPERCRANE™ - Mini Cranes

02 - 03

SUPERCRANE™ - Hydraulic Crawler Cranes

03

SUPERCRANE™ - Mobile Cranes

04

SUPERELEVATE™ - Scissor Lift & EWP

05

SUPERELEVATE™ - Elevated Work Platform

06

SUPERDECK® - Loading Platforms

07 - 08

SUPERSITESTORAGE™ - Storage Containers

09 - 10

SUPERPROPPING™ - Adjustable Propping

11

TRANSPORT - Logistics

12 - 13

ACCESSORIES - Product Accessories

14

PRESTON HIRE RACING - Race Dates 2017

15-16

CAPABILITY STATMENT


For over 40 years, Preston Hire has provided quality construction equipment hire and services that our many customers have come to **'COUNT ON US'**.

As a leader in the provision of specialist construction equipment hire, support and services to the Australian construction sector for over 40 years, Preston Hire is proud of our history, our people and the reputation for trusted and reliable customer assistance we have become renowned for providing to our clients.

We've always held to our belief in hard work and attention to detail that gets the job done and done well so you can always count on Preston Hire to offer the right advice and quality equipment from the start of your project through to completion and to deliver a project specific response that is focused on your business - not ours.

SUPERCRANE™

MINI CRANES




1033

DIMENSIONS

LENGTH	2.71m
WIDTH	0.75m
HEIGHT	1.97m
WEIGHT	2.0t

LIFT CAPACITY

0.955t (max.) at 1.3m
180kg at 9.9m




174

DIMENSIONS

LENGTH	2.0m
WIDTH	0.59m
HEIGHT	1.3m
WEIGHT	1.29t

LIFT CAPACITY

1.72t (max.) at 1.0m
220kg at 5.17m




285

DIMENSIONS

LENGTH	2.715m
WIDTH	0.75m
HEIGHT	1.44m
WEIGHT	1.72t

LIFT CAPACITY

2.82t (max.) at 1.4m
150kg at 8.2m




305

DIMENSIONS

LENGTH	4.285m
WIDTH	1.28m
HEIGHT	1.695m
WEIGHT	3.77t

LIFT CAPACITY

2.93t (max.) at 2.5m
260kg at 12.1m




405

DIMENSIONS

LENGTH	4.98m
WIDTH	1.38m
HEIGHT	1.98m
WEIGHT	5.72t

LIFT CAPACITY

3.8t (max.) at 2.7m
210kg at 16.4m



706

DIMENSIONS

LENGTH	5.61m
WIDTH	1.67m
HEIGHT	2.185m
WEIGHT	8.37t

LIFT CAPACITY

6.0t. (max.) at 3.0m
200kg at 18.6m

Lifting capacities ranging from 1.7t to 6.0t

Ideal for work in a confined space, where head height is limited or where a lightweight crane is required on a suspended slab. Preston Hire's mini crane fleet offers quality Maeda and UNIC small cranes that are big on performance.



SUPERCRANE™

HYDRAULIC CRAWLER CRANES



383

DIMENSIONS


LENGTH	4.02m
WIDTH	1.655m
HEIGHT	2.50m
WEIGHT	4.4t

LIFT CAPACITY

2.93t (max.) at 1.5m
0.2tat 8.3m

PICK & CARRY CAPABILITY

1.465t



785

DIMENSIONS


LENGTH	5.005m
WIDTH	2.35m
HEIGHT	2.685m
WEIGHT	9.70t

LIFT CAPACITY

4.90t (max.) at 2.0m
0.2t at 14.5m

PICK & CARRY CAPABILITY

2.0t



815

DIMENSIONS


LENGTH	5.9m
WIDTH	1.67m
HEIGHT	2.49m
WEIGHT	9.46t - 9.7t(w/electric motor)

LIFT CAPACITY

8.09t at 2.4m
0.34 at 18.8m

PICK & CARRY CAPABILITY

1.0t



1385

DIMENSIONS


LENGTH	6.545m
WIDTH	2.49m
HEIGHT	2.965m
WEIGHT	15.64t

LIFT CAPACITY

6.0t (max.) at 2.6m
0.43t at 16.1m

PICK & CARRY CAPABILITY

2.0t



613

DIMENSIONS

LENGTH	8.50m
WIDTH	3.0m
HEIGHT	2.92m
WEIGHT	22.2t

LIFT CAPACITY

15.0t (max.) at 2.0m
1.10t at 17.3m

PICK & CARRY CAPABILITY

7.0t



643

DIMENSIONS

LENGTH	9.728m
WIDTH	3.0m-4.5m (extended)
HEIGHT	3.226m
WEIGHT	42.0t

LIFT CAPACITY

40.0t (max.) at 2.0m
1.50t at 27.1m

PICK & CARRY CAPABILITY

20.0t


Preston Hire Hydraulic Crawler Cranes

While delivering a range of lifting capacities, along with a host of other impressive performance features, our quality Hydraulic Crawler Cranes still retain a compact footprint for work in limited spaces, making them invaluable for a range of applications on construction sites, for inner-city work sites and also industrial premises.



SUPERCRANE™

HYDRAULIC CRAWLER CRANES



1060

DIMENSIONS


LENGTH	11.385m
WIDTH	3.0m (retracted) 4.8m (extended)
HEIGHT	3.145m
WEIGHT	60.2t

LIFT CAPACITY

60t (max.) at 2.0m
16.0t at 36m

PICK & CARRY CAPABILITY

32.0t with up to
4% Gradient and Side slope



673

DIMENSIONS

LENGTH	12.96m
WIDTH	3.0m-4.8m (extended)
HEIGHT	3.195m
WEIGHT	69.8t

LIFT CAPACITY


70.0t (max.) at 2.0m
1.9t at 32.0m

PICK & CARRY CAPABILITY

35.0t

SUPERCRANE™

MOBILE CRANES




CITYCRANE

DIMENSIONS

LENGTH	7.44m
WIDTH	1.995m
HEIGHT	2.845m
WEIGHT	13.765t

LIFT CAPACITY

13.0t (max.) at 1.7m
0.32t at 22.5m



1060M

DIMENSIONS

LENGTH	7.35m (Outrigger Dimension)
WIDTH	6.3m (Outrigger Dimension)
HEIGHT	3.8m or 3.7m (Suspension Lowered)
WEIGHT	36.0t on road 44.5t full Counter Weight

LIFT CAPACITY

60.0t (max.) at 2.1m
0.9t at 40m

*Available only in QLD



SUPERELEVATE™

SCISSOR LIFTS & ELEVATED WORK PLATFORMS



8/8AC

TRANSPORT DIMENSIONS

LENGTH	1900mm
WIDTH	790mm
HEIGHT	1980mm
WEIGHT	1520kg

GRADEABILITY

25°
Tilt 1.5° - 3.0°

WORKING ENVELOPE

HEIGHT	7770mm
--------	--------



630

TRANSPORT DIMENSIONS


LENGTH	1930mm
WIDTH (min 1200mm)	1500mm
HEIGHT	2330mm
WEIGHT	1700kg

AUTOMATIC LEVELLING

+/-20° front
+/-20° rear
+/-20° side

WORKING ENVELOPE

HEIGHT (max)	4400mm
PLATFORM LENGTH	1580mm



850

TRANSPORT DIMENSIONS

LENGTH	1940mm
WIDTH (min 1300mm)	1500mm
HEIGHT (min 1990mm)	2500mm
WEIGHT	2190kg

AUTOMATIC LEVELLING

+/-16° front
+/-20° rear
+/-15° side

WORKING ENVELOPE


HEIGHT	5880mm
PLATFORM LENGTH	1500mm
PLATFORM EXTENDED	2240mm

Consider the possibilities

A wide range of Scissor Lifts and Elevated Work Platforms, with a variety of vertical working heights and outreach. Perfect match for your work type and context, enabling traversing at heights and tackling undulating or rough terrain with safety and ease with versatility.

Access Equipment to find the best solution

Preston Hire SuperElevate Scissor Lift and elevated platform range are both versatile and compact with the ability to access areas conventional equipment cannot. Standard and optional non marking tracks with power options in Bi Energy, Diesel/lithium Ion and diesel/electric.



13.76

TRANSPORT DIMENSIONS

LENGTH	4590mm
WIDTH (Basket Off)	780mm
HEIGHT	1950mm
WEIGHT	1630kg

STABILISER FOOTPRINT

LENGTH (max)	3200m
WIDTH (max)	3200m


WORKING ENVELOPE

HEIGHT	11000mm
REACH	7000mm
CAPACITY	230kg



SUPERELEVATE™

ELEVATED WORK PLATFORM



16.74

TRANSPORT DIMENSIONS


LENGTH	4440mm
WIDTH (Basket Off)	80mm
HEIGHT	1990mm
WEIGHT	2030kg

STABILISER FOOTPRINT

LENGTH (max)	3200mm
WIDTH (max)	3200mm

WORKING ENVELOPE

HEIGHT	14000mm
REACH	6400mm
CAPACITY	230kg



18.96

TRANSPORT DIMENSIONS


LENGTH	4440mm
WIDTH (Basket Off)	80mm
HEIGHT	1990mm
WEIGHT	2330kg

STABILISER FOOTPRINT

LENGTH (max)	3200mm
WIDTH (max)	3200mm

WORKING ENVELOPE

HEIGHT	16800mm
REACH	8500mm
CAPACITY	230kg



22.10

TRANSPORT DIMENSIONS

LENGTH	5980mm
WIDTH (Basket Off)	980mm
HEIGHT (stowed)	2070mm
WEIGHT (hybrid)	3380kg

STABILISER FOOTPRINT

LENGTH (max)	5050mm
WIDTH (max)	3870mm

WORKING ENVELOPE

Height (platform)	19700mm
Reach (basket edge)	9800mm
Capacity (max)	230kg



22.11

TRANSPORT DIMENSIONS

LENGTH	5200mm
WIDTH	945mm
HEIGHT	1970mm
WEIGHT	3120kg

STABILISER FOOTPRINT

LENGTH (min)	4750mm
LENGTH (max)	5954mm
WIDTH (min)	1981mm
WIDTH (max)	3992mm

WORKING ENVELOPE

HEIGHT	20000mm
REACH	9900mm
CAPACITY	230kg



33.15

TRANSPORT DIMENSIONS

LENGTH	7130mm
WIDTH	1390mm
HEIGHT	1990mm
WEIGHT	6800kg

STABILISER FOOTPRINT

LENGTH (min)	4850mm
LENGTH (max)	6870mm
WIDTH (min)	3000mm
WIDTH (max)	4610mm




WORKING ENVELOPE

HEIGHT	30400mm
REACH	14700mm
CAPACITY	230kg



SUPERDECK®

LOADING PLATFORM

 2200mm	 3200mm	 4200mm
2.2 CAPACITY	3.2 CAPACITY	4.2 CAPACITY
MAX.LOAD 5000kg TARE WEIGHT 2500kg	MAX.LOAD 5000kg TARE WEIGHT 3000kg	MAX.LOAD 5000kg TARE WEIGHT 3500kg
LENGTH	LENGTH	LENGTH
MAX.OUTBOARD 5250mm WIDTH OF DECK 2200mm	MAX.OUTBOARD 5250mm WIDTH OF DECK 3200mm	MAX.OUTBOARD 5250mm WIDTH OF DECK 4200mm
PROP OR BOLTDOWN	PROP OR BOLTDOWN	PROP OR BOLTDOWN
OPTION 3	OPTION 3	OPTION 3

Offers Innovation

Patented retractable loading platform system has been the preferred choice on construction projects for almost two decades. Designed to simplify the handling of materials, particularly on multi-storey construction sites, this revolutionary Preston Hire innovation offers a 'drawer-like' loading platform system which has dramatically increased safety and reduced crane operation time for customers across the globe.

Safety

SuperDeck loading platforms are fitted with fixed safety harness points to allow units to be vertically stacked and rolled in and out as required - as opposed to being staggered in the traditional deck configuration - which increases the efficiency of materials handling by minimising hindrance to crane ropes and loads for faster, safer and more cost-effective crane operation.


Time Saving

Extending from 4.5m to 5.25m out from the side of a building, SuperDecks can be extended or retracted by one person and are rated for a universally safe working load of 5 tonnes. They also offer quicker installation and relocation times of approximately 15 minutes, compared to over one hour for conventional loading decks.



SUPERSITESTORAGE™

STORAGE CONTAINERS



10FT GP

EXTERNAL DIMENSIONS


LENGTH	2991mm
WIDTH	2438mm
HEIGHT	2591mm

INTERNAL DIMENSIONS

LENGTH	2831mm
WIDTH	2350mm
HEIGHT	2342mm

WEIGHT RATINGS

MAX. GROSS WEIGHT	10160kg
TARE WEIGHT	1300kg
MAX PAYLOAD	8860kg



10FT HC

EXTERNAL DIMENSIONS


LENGTH	2991mm
WIDTH	2438mm
HEIGHT	2896mm

INTERNAL DIMENSIONS

LENGTH	2831mm
WIDTH	2350mm
HEIGHT	2695mm

WEIGHT RATINGS

MAX. GROSS WEIGHT	10160kg
TARE WEIGHT	1380kg
MAX PAYLOAD	8780kg



10FT DG

EXTERNAL DIMENSIONS

LENGTH	2991mm
WIDTH	2438mm
HEIGHT	2591mm

INTERNAL DIMENSIONS

LENGTH	2850mm
WIDTH	2330mm
HEIGHT	2297mm

WEIGHT RATINGS

MAX. GROSS WEIGHT	5700kg
TARE WEIGHT	1700kg
MAX PAYLOAD	4000kg



Innovative Equipment Solutions

We're committed to bringing our customers the best service possible, and the demand for safe and secure storage has inspired us to create a range of innovative units specifically designed for this market. Our SuperSiteStorage containers are available in both standard and dunnage variations. This provides an effective solution that can safely and securely store hazardous goods and materials.



SUPERSITESTORAGE™

STORAGE CONTAINERS



20FT GP

EXTERNAL DIMENSIONS

LENGTH	6058mm
WIDTH	2438mm
HEIGHT	2591mm

INTERNAL DIMENSIONS

LENGTH	5900mm
WIDTH	2330mm
HEIGHT	2297mm

WEIGHT RATINGS

MAX. GROSS WEIGHT	30480kg
TARE WEIGHT	2200kg
MAX PAYLOAD	28250kg

20FT HC

EXTERNAL DIMENSIONS

LENGTH	6058mm
WIDTH	2438mm
HEIGHT	2896mm

INTERNAL DIMENSIONS

LENGTH	5900mm
WIDTH	2352mm
HEIGHT	2698mm

WEIGHT RATINGS

MAX. GROSS WEIGHT	30480kg
TARE WEIGHT	2230kg
MAX PAYLOAD	28250kg

40FT HC

EXTERNAL DIMENSIONS

LENGTH	12192mm
WIDTH	2438mm
HEIGHT	2896mm

INTERNAL DIMENSIONS

LENGTH	12000mm
WIDTH	2311mm
HEIGHT	2650mm

WEIGHT RATINGS

MAX. GROSS WEIGHT	30848kg
TARE WEIGHT	3900kg
MAX PAYLOAD	26580kg

Efficient and Reliable Service

Understanding the needs and precise requirements of all our customers, we not only provide the most competitive pricing structure for all container hire services, we are also committed to working around a schedule that suits your needs. Therefore, we guarantee the delivery and collection of our units in a punctual and efficient manner and at a time and date most convenient to you.

Competitive Storage Hire

Preston Hire service Australia wide and we are confident you will not find a better service or price for units of equal capacity and quality. To remain competitive, we also aim to match any genuine quote for containers of similar build quality and size.



SUPERPROPPING™

ADJUSTING PROPPING



ACROW


DIMENSIONS

LENGTH max-3350mm
 min-1970mm

WEIGHT 20.0kg

CAPACITY

3500kg at 1970mm
1600kg at 3350mm



SUPERPROP

DIMENSIONS

LENGTH max-3600mm
 min-2400mm

WEIGHT 22.6kg

CAPACITY

12100kg at 2400mm
7600kg at 3600mm



MP350

DIMENSIONS

LENGTH max-3500mm
 min-1950mm

WEIGHT 19.7kg

CAPACITY

9000kg at 1950mm
4400kg at 3500mm

Extensive Range

Preston Hire offers a wide range of intelligent propping hire solutions for those working in the building and construction industry. Our extensive range of adjustable props is available for hire across Australia - ensuring we can always deliver the quality propping hire solution you need.

As a company that has been supporting the construction industry for over 40 years, Preston Hire has a thorough understanding of propping needs and can not only offer you quality, industry-leading construction propping systems but can also provide expert advice and support that makes your job easier, along with our cutting-edge equipment.



SUPERPROPPING™

ADJUSTING PROPPING



MP480

DIMENSIONS

LENGTH max-4800mm
 min-2600mm

WEIGHT 25.0kg

CAPACITY

7300kg at 2600mm
2600kg at 4800mm



MP625

DIMENSIONS

LENGTH max-6250mm
 min-4300mm

WEIGHT 34.8kg

CAPACITY

4500kg at 4300mm
2100kg at 6250mm



HD200

DIMENSIONS

LENGTH max-varied
 min-1000mm


WEIGHT 30kg at 3450mm

CAPACITY

Calculated on each application

A Must Have On Any Construction Site

Our heavy-duty vertical and horizontal SuperPropping system incorporates the very latest in safety and design. Quick, easy and reliable, the SuperPropping system is a must-have on any construction site. With your project requirements demanding that you deliver in terms of budget, time efficiency and safety, we know you demand the best from Preston Hire and we provide it with SuperPropping a system which works perfectly in conjunction with the Preston Hire SuperDeck loading platform system, our SuperCranes crane fleet and other back propping requirements.



TRANSPORT

LOGISTICS SOLUTIONS



MOVING THE LOAD

At Preston Hire we offer the service of logistic solutions, with the determination to offer the most complete and effective transport service in the industry. Offering tilt trays, body trucks, semi trailers, low loaders and over dimensional freight.

Specialised Construction Site Solutions we also understand the importance of precision in the timely manner of industry requirements.

TRANSPORT THAT SUPPORTS YOUR DELIVERY REQUIREMENTS

"The smart choice in transport solutions"

If you're looking for a reliable project partner to deliver professional consulting support and flawless service, Preston Hire is the one to call.



ACCESSORIES

ADD-ON SOLUTIONS

SUPERDECK™ ADD-ON SOLUTIONS



Extended Side Panels - A steel mesh 4.50 metre to offer extended height on our loading platforms and also for safety, depending on job specifications.



Deck Trolley - To go under the Loading Platform to hang chain block and finishing work under the Loading Platform.



Loading Platform Ramp - Limited 200mm, 400mm, 600mm or special order (Keeping to 3 degrees maximum). This ramp offers full access to the loading platform using our leg system.

SUPERSITESTORAGE™ ADD-ON SOLUTIONS



Container Forklift Ramp - Designed for bridge-in into standard containers from ground level. The self-levelling lip allows for full load capacity when on slightly uneven ground. Ramp Footing folds up to allow access to the fork slippers for transport. Hand Grip Loops are provided for this purpose. The standard finish is enamel painted Safety Yellow over primed steel.

SUPERELEVATE™ ADD-ON SOLUTIONS



Split back/ ramped trailer - for transport of EWP units up to 18 metres (electric brake car kit necessary)



Non marking tracks - can be adapted to equipment for use on high quality floorings.

ACCESSORIES

ADD-ON SOLUTIONS

SUPERCRANE™ ADD-ON SOLUTIONS



Chains/Slings - All Purpose Lifting Equipment



Two Way Radios - For communication



Lever Block/Chain Block - Lever blocks is a manual hoist using a ratchet and pawl mechanical configuration to lift, lower or pull a load and to apply or release tension.



Headache Ball - An auxillary hook that can be hooked on a crane



Remote & Cable - Calbel remote controller for remote machine operation



Glass Lifter - A convenient way to lift glass, metal, ceramic and other materials and position them for fixing. Vacuum technology to grip the surface glass lifters are an easy lifting solution.

SUPERCARS CALENDAR

DATE	EVENT	LOCATION	FORMAT
1-4 Mar	Adelaide 500	Adelaide Street Circuit	SuperStreet
22-25 Mar	Australian Grand Prix	Albert Park	International SuperSprint
6-8 Apr	Tasmania	Symmons Plains Raceway	SuperSprint
20-22 Apr	Phillip Island	Phillip Island Circuit	SuperSprint
4-6 May	Perth	Barbagallo Raceway	SuperSprint
18-20 May	Winton	Winton Motor Raceway	SuperSprint
15-17 Jun	Darwin Triple Crown	Hidden Valley Raceway	SuperSprint
6-8 Jul	Townsville	Reid Park	SuperSprint
20-22 Jul	Ipswich	Queensland Raceway	SuperSprint
4 Aug	Sydney	Sydney Motorsport Park	SuperSprint
24-26 Aug	Tailem Bend	The Bend Motorsport Park	SuperSprint
14-16 Sep	Sandown 500	Sandown Raceway	Enduro Cup
4-7 Oct	Bathurst 1000	Mount Panorama	Enduro Cup
19-21 Oct	Gold Coast 600	Surfers Paradise	Enduro Cup
2-4 Nov	Auckland	Pukekohe Park Raceway	SuperSprint
23-25 Nov	Newcastle 500	Newcastle	SuperSprint

For more information about Preston Hire Racing visit www.prestonhिरacing.com.au



CAPABILITY STATEMENT

Core Purpose

To help our customers find better, more efficient and safer ways to achieve their targets

Safety & Quality

Preston Hire is proud to be Third Party Certified for Quality Management by meeting the standards of ISO 9001 since 2015. This accreditation certifies that we as an organisation have in place a quality management system throughout all areas of our business including people, training, services and equipment. These systems combine the use of quality documentation, processes and procedures to ensure timely, efficient completion of works to ensure the best standards for our customers.

Industry Involvement & Leadership

Preston Hire holds memberships in several key rental and crane hire industry associations. By contributing to and supporting these associations in their valuable work in developing, promoting and maintaining safe and effective industry standards and practices, we are actively delivering on our commitment to provide the best for our customers.

- The Hire and Rental Industry Association (HRIA)
- The Crane Industry Council of Australia (CICA) and CICA NSW
- The Self Storage Association of Australasia (SSAA)
- The National Portable Storage Association (NPSA)
- The Elevating Work Platform Association of Australia (EWPA)

Previous Projects

- Lend Lease - Barangaroo, Sydney, NSW
- Lend Lease - Starlight Foundation Rocket Ship - Vivid Sydney, NSW
- Richard Crookes - The Union, Rozelle, NSW
- VT Services Contracting - Sunshine Coast Hospital, QLD
- Grocon Constructions - Parklands, Gold Coast, QLD
- Brookfield Multiplex - Collins Square, Docklands, VIC
- Platinum Apartments - Melbourne, VIC
- Ichthys LNG Onshore Facilities - NT
- McConnell Dowell Contractors - Roy Hill Project, Port Hedland, WA
- John Holland - Princess Margaret Hospital for Children, Perth, WA

Products



SUPERCRANE™

Preston Hire's crane hire fleet includes the largest mini crawler crane fleet in Australia. While initially focused on, and renowned for, the provision of mini crawler cranes, our crane fleet is growing constantly. Preston Hire is always equipped with mini cranes and larger cranes to meet your specific needs.



SUPERELEVATE™

A wide range of scissor lifts and Elevated Work Platforms, with a variety of vertical working heights and outreach. Perfect match for your work type and context, enabling traversing at heights and tackling undulating or rough terrain with safety and ease with versatility.



SUPERDECK®

Designed to simplify the handling of materials, particularly on multi-storey construction sites, this revolutionary Preston Hire innovation offers a 'drawer-like' loading platform system which has dramatically increased safety and reduced crane operation time for customers around the world.



SUPERSITESTORAGE™

Shipping containers offer cost effective and robust storage solutions. Being wind, water and vermin proof these lockable containers provide ideal storage for tools, machinery, sporting equipment, personal belongings and almost anything else. Preston Hire dangerous goods storage containers are also AS1940 - 2004 compliant.



SUPERPROPPING™

Preston Hire offers a wide range of intelligent propping hire solutions for those working in the building and construction industry. Our extensive range of adjustable props are available for hire across Australia. Preston Hire ensures we can always deliver quality product and service for all your propping needs.



OUR BRAND VALUES ARE THOSE FUNDAMENTAL BELIEFS THAT GUIDE HOW WE DO BUSINESS. BRAND VALUES INFLUENCE ORGANISATIONAL BEHAVIOURS AND BELIEFS. THESE ARE THE INTANGIBLES THAT MAKE PRESTON HIRE A GREAT COMPANY TO WORK FOR AND DO BUSINESS WITH.

OUR BRAND DESCRIPTION

Integrity

We do what we say we are going to do. This is why our customers can count on us and why we can count on each other. We do what we say we are going to do.

Innovation

We continually look for better ways of doing things to provide the optimum customer experience and ensure we are not just meeting, but leading, change. This includes better products, services and solutions.

Safety

Ensuring every one of our employees goes home to their loved ones free of injury is our number one priority. This also extends to the workers who engage in some way with our products. Whether they are an operator or simply working onsite, we must ensure our equipment never places anyone in danger.

Efficiency

While our products and service excellence will create effectiveness, we must be efficient. That means we need to get things done with no fuss and in a timely manner. A customer should never have to chase Preston Hire for anything - be it delivery time, technical information, a quote or an invoice.

Service Excellence

While we are known for our excellent products, it's our service we want to be famous for. This starts with value-adding advice and goes across every customer touchpoint through to our delivery driver's attitude. We want to make every customer's life easy. We want every customer to say, "Just call Preston Hire - they'll sort it".

CORE VALUES



1

INDIVIDUALITY

Running our own race and prepared to take risks to achieve success

2

HELPFUL & CARING

Genuinely helping and caring is essential to our character

3

DETERMINED

Success through resilience

4

STABILITY

A secure base for everyone

5

DYNAMIC

Enthusiastic, open-minded and quick to adapt



HIRE17
Shaping the Future



HIRE INDUSTRY EXCELLENCE AWARDS
Rental Company of the Year
WINNER 2017



SPECIALISED EQUIPMENT HIRE SOLUTIONS

Service Facility Locations

Preston Hire - NSW

Unit 3,10 Tarlington Place,
Smithfield, NSW 2164
nswsales@prestonhire.com.au

Preston Hire - ACT

38 John Bull Street,
Queanbeyan West, NSW 2620
actsales@prestonhire.com.au

Preston Hire - New Zealand

563 Rosebank Rd,
Avondale, Auckland 1026
nzsales@prestonhire.com.au

Preston Hire - QLD

83 Parramatta Road,
Underwood, QLD 4119
qldsals@prestonhire.com.au

Preston Hire - VIC/TAS

38-40 Sunline Dr,
Truganina, VIC 3029
vicals@prestonhire.com.au

Preston Hire - WA/NT

Unit 2,8 Hunt Street,
Malaga, WA 6090
walsales@prestonhire.com.au

Preston Hire - SA

102 Cormack Road,
Wingfield, SA 5013
salsales@prestonhire.com.au

**Preston Hire available across Oceania*



PRESTON HIRE

COUNT ON US

1800 440 550 | prestonhire.com.au