

# Secure & Compliant Fuel Storage Systems

## Self Bunded Kubes - 1,000 to 10,000 Litres



**KUBES - FOR SMALLER VOLUME FUEL STORAGE** 

### SELF BUNDED FUEL STORAGE TANKS

Fuelco offers a full range of self bunded tank solutions with an extensive range of custom installation options that can be fitted and delivered to your site.

Designed and structurally modelled by independent third party engineers.





### THE KUBE

- For storing products such as diesel, motor spirits (ULP), lubricants and waste products
- Self-bunded to provide a range of storage tanks ideal for smaller volume storage
- All Kubes are 5mm internal tanks and 3mm external. This means they comply with AS1692 and AS1940
- Kubes come complete with dipsticks and free vent pipe and fittings
- Baffled internally to reduce product movement should the unit be moved with contents
- The Kube has a large opening within the manway area for pump location and hose and nozzle storage etc, capacity of storage locker is 85 litres and is lockable
- Multiple forklift pockets ensure ease of access and maneuverability, as well as lifting eyes to each corner, should they require relocations



### **SOLAR POWERED OPTION**

- Solar powered option available on any of our KUBE range of tanks.
- Low operating noise, zero emissions and a virtually maintenance free user experience.
- Ability to work anywhere and in any weather condition
- Easy assembly, Long life



### **KUBES - THE PERFECT GOLF CLUB TANKS**

- Lockable containment area for pump, hose and nozzle storage
- · Full lockable lid on gas struts with vandal proof lock housing
- Approved to move with liquid and designed to be stacked for storage and transport

Whilst tanks can be set up specifically to customer requirements, below is the generic detail specification of the standard tanks.


| KUBE SPECIFICATIONS |                    |              |             |              |              |
|---------------------|--------------------|--------------|-------------|--------------|--------------|
| model               | capacity<br>litres | length<br>mm | width<br>mm | height<br>mm | weight<br>kg |
| LTKU 1000           | 1,000              | 1,100        | 1,864       | 1,254        | 770          |
| LTKU 2500           | 2,500              | 2,274        | 1,674       | 1,254        | 1,215        |
| LTKU 4500           | 4,500              | 2,774        | 2,274       | 1,254        | 1,740        |
| LTKU 6000           | 6,000              | 3,574        | 2,274       | 1,254        | 2,050        |
| LTKU 10000          | 10,000             | 6,060        | 2,440       | 1,254        | 4,443        |



LTKU 1000



LTKU 2500




#### Fittings incorporated with the Kube include:

1 x 50mm Fill Line (80mm optional), 2 x 50mm Suction Lines, 2 x 50mm Return Ports, 2 x 25mm Suction Lines, 2 x 25mm Return Lines, 1 x 50mm Dip, 1 x 50mm Vent, 1 x 50mm Emergency Vent, 1 x 25mm Interstitial Test Port.

#### PUMP PACKAGES

An integrated dispensing package, designed specifically for your application, turns the fuel tank into a turnkey refuelling system.











# 🕻 1300 FUELCO 🔤 sales@fuelco.com.au



# www.fuelco.com.au